Architectural Signage Systems......





### Service, Delivery & General Information.

### Valued Clients and Friends.

We proudly present our 2014, fullcolor product catalog, featuring exciting new sign products and product enhancements including:

- "Perma-Banner" a Revolutionary New Technology in Vertical Street Pole Banners
- Our exciting new expanded line of "HID" Interior Signage Systems
- · Laser-engraved Donor Recognition Signs and Plaques
- · A Compact, Time-saving Channel Letter Raceway
- Over 3500 LED Traffic Control Signs and Accessories
- Several new and improved aluminum extrusions, including a 3" round mounting post

Our goal is to be your trusted sign manufacturer and to ensure that you will receive unequalled customer service. We look forward to continuing to earn your business.



### **Attaining Service Excellence For Our Customers**

Determined to provide the most dependable and comprehensive service in the industry, we are dedicated to continually exceeding the requirements of our customers.

Our "Support System" has the goal of satisfaction beyond comparison. Its services are intended to help our customers by making the selling of Architectural Signage easy, dependable and cost effective. These service offerings easily guide our customers from the initial contact, through quoting, designing, technical drawings, fabricating and manufacturing, to shipping, so that your project arrives correctly and when you need it.

#### "Ouick Quotes"

With combined experience of over 50 years, our sales staff is well versed in today's sign requirements and applications, and can provide you with a detailed printed quotation on your sign project; most in one hour or less. Please call, email or fax your project requirements to any sales person for a prompt response.

### **Technical Drawings**

We provide computer-generated technical drawings for quotes or projects free of charge! Simply ask your salesperson and drawings will be provided as quickly as our quote service.

### **Design Services**

With the aid of our technical staff, your salesperson can help you to design your sign or complete signage project using or combining our architectural signage systems and components.

#### **Unequalled Production Time**

The proud hallmark of our business tradition, our production efficiency offers a delivery schedule unequalled in the sign industry and the only one put in writing.

### Same Day Shipping

- Linear extrusions, hardware and aluminum sign blanks having off-the-shelf pre-finish white or mill finish.
- · "Open/Closed" LED illuminated, LED Stock Messages, and TCIL Traffic Control products in our standard duranodic bronze finish.

#### One Week or Less

- · Standard sizes of HID Interior signs having standard anodized aluminum finish.
- Traffic Control products in our standard duranodic bronze finish.

### **Two Weeks or Less**


- Post and Panel sign systems in any color or shape, with or without graphics.
- · Perma-Banner street pole banners in any shape or size.
- · HID Interior signs including custom directory, ADA compliant, custom colors and laser-engraved.
- · Traffic Control products in any custom color, custom frame size, UL listed, and double faced.

#### **Materials & Finishes**

All product components and hardware are manufactured from high quality 6063T5 alloy aluminum extrusions produced to rigid Aluminum Association standards. Panels are supplied in .050, .080, .100, or .125 gauge aluminum. Acrylic panels, including Lexan®, are available.

#### Standard Finish

Our standard product finish offers 9 paint colors (Black, White, Duranodic Bronze, Pantone Yellow, Pantone 7500 Cream, Pantone 3415 Green, Pantone Cool Gray 10, Pantone Reflex Blue and Pantone 200 Red) using Matthews Paint polyurethane enamel formula developed specifically for aplication to metal signage components, which meets AAMA specifications 603. This extremely durable finish is highly resistant to weathering and corrosive environments.



### **Pantone Color (PMS)**

PMS Numbers relate to ink color designations used within the printing industry and are followed by either a "C" (coated) or "U" (uncoated) indicating a gloss or matte finish. Color variations between inks and paints may occur.

#### **Custom Colors**

Our computerized color matching capabilities allow us to reproduce bold, brilliant, vivid colors formulated to match 6000 colors corresponding to Pantone or other major color programs. The two-component polyurethane enamel is applied to primed aluminum and can provide a matte, semigloss, or gloss finish. A painted color sample will be provided for approval when matching a custom color (fee may apply).

### Shipping

All products are shipped F.O.B. Erie, PA, via UPS (weight & size permitting) or motor freight unless otherwise requested, directly to you or the location of your choice. Open and inspect all packages for damage prior to accepting delivery; if accepting a damaged package be sure to note damage on BOL. All shipping charges are prepaid or charged to Open Accounts and are subject to additional fees for special requirements, including but not limited to residential delivery and lift gate equipped trucks. Please note you may choose to set up your own shipping using a carrier of your choice.

### **No Hassie Returns**

Returns on standard products (1 week delivery items) will gladly be accepted with an RMA number issued by us. Returns must be shipped in original cartons via the best possible carrier, freight prepaid (restocking fee may apply).

#### **Ouality Guarantee**

Our product warranties display our employees' strong commitment to defect free materials and workmanship.

- 1 Year...Exterior Post and Panel Signs
- 5 Year...Perma-Banner
- 5 Year...HID Interior Signs
- 5 Year Unlimited...LED Traffic Controllers

#### **Terms**

Terms to customers of established credit rating (Open Account) are Net 30 days. When no credit has been established, orders may be charged to your Visa, MasterCard, American Express, Discover or paid by check or ACH and receive a 3% discount.

DISCOVER<sup>®</sup>

AMERICAN EXPRESS VISA





Contents at a glance

Non-illuminated

One Panel Systems

"Quick Guide" to Signs



Non-Illuminated **Two Panel Systems** 

URGENT CARE TRANSITIONAL CARE UNIT (TCU) · Associated Clinical Lab E-Z Change Wordbars Multiple Page 10 Listing System

Imaging Center

· Endoscopy Center L.L.C. Children's Health Care

Barber National Institute

ider Adult Daily Living Center

mc


O MAIN ENTRANCE
O OUTPATIENT ENTRANCE
O HOSPITAL PARKING
○ MANOR PARKING





Twin Hinge Directories, Changeable Panels

P-20 Pylon Systems, Monolithic, Square Page **20** & Triangular










Ceiling and Projection **Mount Signs** 





**Engraved Signs** 

# **Table of Contents**

Non-Illuminated Boot 6	Donal Customs
Non-Illuminated Post &	
<b>HED-100</b> One Panel System	
<b>HED-150</b> One Panel System	
<b>HED-200</b> Frameless System	
<b>HED-225</b> Flush Face System	
<b>HED-300</b> Two Panel System	
<b>HED-400</b> Two Panel System	
E-Z Change Wordbar Multi	
DSS-125 Wall Mount	
DSS-75 Wall Mount	12
Street Pole & Light Pos	t Banners
Perma-Banner Permanent	
Illuminated Post & Pan	
HED 1-70 7" Cabinet	
HED I-10 10" Cabinet	
HED I-12 12" Cabinet	
HED I-12 Twin Hinge Dire	
HED I-12 Slide Panels Cha	
HED P-20 Monolithic Pylon .	
HED P-20S Square Pylon	
HED P-20T Triangular Pylon	
Special Signage	hada aka d
Specialty Signs Custom Fa	
Large Pylons Custom Fabri	cated24
Components	
<b>Linear Extrusion</b> Post and	
Post Caps A Variety of Deco	rative Finials26
Sign Blanks Aluminum	26
LED Illuminated Traffic	Control Signs
LED Directional Signs and	
HID Interior Systems	
	20
Wall Mount Signs	
Ceiling and Projection M	
Directory and ADA Signs	
Specialty Signs Laser Engr	
Donor Recognition Regula	atory Signs38

### Non-illuminated signs.

### with Beveled Frames Frameless Systems

- Our one panel all aluminum sign systems are designed to offer strong visual impact in a non-illuminated format.
- They provide small to mid-size signs intended for primary and secondary site identification, wayfinding, parking and directional applications.
- These signs are available in double post, flag ceiling, and wall mount configurations.

### Filigree Panels & Decorative Post Caps

• Easily customize these signs with custom shapes and filigree panels that allow the environment to become part of the sign graphic. Cap off your unique look with cast aluminum finials or our "fabricated" designer post caps, see page 26.





Tamiami Trail



CONGO Sello Sello Sello Sello Searly Childhood Development Center Preschool · Kindergarten Extended Care & Summer Care Programs 864-4821

No Parking

**■** Lordstown

→ Complex East

Hospital



Arbor Valle

BANKING → 24 HOUR **ATM** 

**↑ DRIVE IN** 



- Small Identification Signs
- Wayfinding Signs
- Parking Signs



### HED-100 One Panel System

- 2-1/4" Deep beveled frame
- Frame can be angle cut, mitered, or slightly curved to easily create custom shaped signs
- .080" Aluminum panels can offer routed, filigree designs
- Slotted 2-1/4" x 3" rectangular or 3" radius posts carry the frame flush or with a 1/2" reveal; a variety of optional posts are available
- Concealed locking squares hold the frame secure in the posts



### HED-150 One Panel System

- Economy version of the HED-100 in sizes up to 48"H x 60"L
- 2-1/4" Deep beveled frame
- Frame can be angle cut, mitered, or slightly curved to easily create custom shaped signs
- .080" Aluminum panels can offer routed, filigree designs
- Slotted 2-1/4" square posts
- Concealed locking squares hold the frame secure in the posts



### HED-200 Frameless System

- Frameless .125" aluminum panel in sizes up to 36"H x 60"L
- Panels can be custom routed or cut into unique shapes and offer filigree motifs
- Slotted 2-1/4" x 2-1/4" square posts are standard; a variety of optional posts are also available
- U-channels with set screws hold the panel secure in the slotted posts leaving no exposed fasteners



- A HED-200 double post
- B HED-200 ceiling mount
- C HED-100 blind wall mount
- D HED-200 custom post caps
- E HED-150 base plate mount
- F HED-100 indented peaked top, routed filigree panel
- G HED-150 radius top, filigree panel, wordbar rider
- H HED-100 double post
- HED-100 radius top
- TIEB Too radias top

- changeable panels
- HED-100 with angled posts
- L HED-100 E-Z change wordbars
- M HED-200 flag mount with 4" rd. posts
- N HED-200 with custom shape panel
- O HED-200 flag mount
- P HED-200 flag mount
- Q HED-100 peaked top, filigree panel
- R HED-200 center post mount, custom routed shape
- S HED-200 center post mount
- T HED-200 custom shape panel



### HED-225 Flush Face System

- 2-1/4" Deep flush face frame with two .080" panels up to 48"H x 60"L
- Frameless flush face appearance with no visible retainers and no exposed fasteners
- 2" Polystyrene core for increased strength and durability
- 2-1/4" Square posts carry the frame flush or with a 1/2" reveal
- Concealed locking squares hold the frame secure

2-1/4" Square Aluminum Post HED-225 Flush Face Aluminum Frame .080" Aluminum Panels Polystyrene Core Concealed Locking Square

### HED-300 **Two Panel System**

- 3" Deep cabinet style frame
- Two .050" message panels up to 48"H x 120"L
- 2-3/4" Polystyrene core for increased strength and durability
- Slotted 2-1/4" x 3" rectangular or 3" radius posts carry the frame flush or with a 1/2" reveal
- Concealed locking squares hold the frame secure
- Options for posts and flush faces

Aluminum Post HED-300 Aluminum Frame .050" Aluminum Panels Polystyrene Core

2-1/4" x 3" Standard Rectangular

Concealed Locking Square

### **HED-400 Two Panel System**

- 4" Deep cabinet style frame
- Two .050" message panels up to 48"H x 144"L
- 3-3/4" Polystyrene core for increased strength and durability
- Slotted 4" square, rectangular, radius or round posts carry the frame flush or with a 1/2" reveal
- Concealed locking squares hold the frame secure
- Options for posts and flush faces



- HED-225 flag, custom shape
- C HED-400 flush face
- D HED-225 flag mount
- HED-300 custom angled-post
- HED-400 4" post, peaked cap
- HED-400 LED illuminated
- HED-225 HED-200 topper
- HED-300 radius top, ball caps
- HED-400 custom shape
- HED 300 radius top, 3" posts

- L HED 225 double post projection mount
- HED-300 4" posts, 3" accent posts
- HED-400 internal posts
- HED-400 custom fabricated topper 0
- Р HED-300 double set of posts
- HED-300 radius top & bottom frame Q
- Custom pan face & topper
- HED-300 corner mount
- HED-300 indented radius
- HED-300 corner mount U

### Non-illuminated signs.

# E-Z Change Wordbars

2-1/4", 4", 6", 8", 10", 12", 15", 18"

DRIVE-UP 1

**ATM** 

**PARKING** 

- Our E-Z Change Wordbar system allows multiple listings to be organized as individual stacking units that can be easily removed or replaced in the future.
- Wordbars are ideal for small to large signs used to convey secondary site identification, information, directions, wayfinding, parking, and regulatory information.

### **Custom Configurations & Decorative Finials**

 Easily customize these signs by using other system headers, bases, skirting, and mounting posts of various styles and functions. Add cast aluminum finials or our "fabricated" designer post caps, see page 26.






E-Z Change Wordbars
Multiple Listing System 2-1/4" x 3" Rectangular Post E-Z Mounting Extrusion • 2-1/4" Deep bars available in 2-1/4" x 6" Wordbar 2-1/4", 4", 6", 8", 10", 12", 15" and 18" heights; up to 120" long Specially designed two part mounting extrusion with removable fasteners allows for quick and easy changes to wordbars regardless of size or placement on the sign Wordbars carry two sides of copy and can be used with any system Slotted 2-1/4" x 3" rectangular or

 optional posts are also available
 Concealed locking squares hold the wordbars secure in the posts

3" radius posts carry the wordbars with a 1/2" reveal; a variety of

### Wordbar Configurations Easy to Combine with Any System

- Create custom signs with other system headers or bases
- Use Wordbars with our 3" x 3" 90° Corner Post or 2-1/4" x 3" 180° Double Slot Mounting Post



- A Wordbars and HED-225 header
- B Wordbars and HED-200 topper
- C Wordbars and HED-225 header
- D Wordbars and custom HED-225 header
- E Wordbars, HED-225 peaked header &
- F Wordbars of various sizes
- G Wordbars, 4" round posts
- H Wordbars, radius posts

- I Wordbars of various sizes
- J Wordbars of various sizes
- K Wordbar, vertical embedment
- L Wordbars, 4" round posts
- M Wordbars, HED-300 header & base
- N Wordbars, HED-300 base
- O Wordbar, HED-225 peaked header
- P Wordbars, 90° double slot post mount
- Q Wordbars, HED-225 radius header

2-1/4" x 2-1/4"

Wordbar

Concealed

Locking Square

### Non-illuminated signs.

# Wall Mount Systems DSS-125, DSS-75 a Cut Out Letters

- The DSS-125 and DSS-75 are designed for vandal resistant, non-illuminated, wall mounted signage for interior and exterior use.
- These sturdy, extruded aluminum signs are constructed using a single message panel held securely in a slim profile frame specially designed to mount flush to the wall surface with concealed fasteners.
- They provide small to large-size signs intended for primary and secondary site identification, wayfinding and directional applications.

### A Viable Choice in Low Security Areas

 DSS signs are installed from the interior of the sign structure for a clean professional appearance and optimum vandal resistance.







MAIN ENTRANCE

Positive I.D.

Limit of Two Transactions

per Vehicle



Erie Homes for Children and Adults, Inc.



2ND FLOOR RECEPTION


THE LANDINGS
55 Alpha Drive West



Directorate of Pulsac Works
Operations & Maintenance Division
Sign & Graphics Shop


is National Bank

- Building Identification
- Directional Signs
- Informational Signs





K



Alternative

PENNSTATE

Wall Mount Signage
Cut Out Letters & Logos

Greater Greater

Allegheny

## DSS-125 Wall Mount System

- Sturdy beveled mounting frame is 1-1/4" wide x 1-1/4" deep
- Frame holds a single message panel of .050" to .125" aluminum in sizes up to 48"H x 180"L
- Frame is adaptable for optional face material up to 3/16" thick
- The frame locks together with corner keys and once it is secured to the wall surface. the message panel is installed, concealing the fasteners

DSS-125 Frame .050" Aluminum Panel



- Scaled down, 3/4" wide x 3/4" deep, sturdy beveled mounting frame
- Frame holds a single message panel of .050" aluminum in sizes up to 18"H x 72"L
- Frame will accept optional face material up to .080" thick
- The frame locks together with corner keys and once it is secured to the wall surface. the message panel is installed, concealing the fasteners





- Standard letters are mill finished aluminum, available in a variety of serif and sans serif font styles
- Specialty letters, logos, and graphics may be ordered custom cut from other metals, woods, foamboards, and acrylics





DSS-125 wall mount

DSS-125 wall mount

DSS-75 wall mount DSS-75 wall mount

DSS-125 wall mount

DSS-75 interior sign DSS-125 identification sign

DSS-125 wall mount, peaked top

- DSS-75 interior sign
- DSS-125 wall mount
- DSS-125 wall mount
- DSS-75 wall mount
- Cut out aluminum logo and letters
- Cut out aluminum letters 0
- Cut out aluminum logo



Campus Banners

Entry & Parking Banners

while allowing panels to be removed or changed in the future

"No Fly Away" Vertical Mounting Bracket of durable, light-weight extruded aluminum is non-corrosive and provides a secure fit to all popular size street poles and light poles regardless of their shape... round, square, hexagon, octagon or triangular



# net Frames

- Our HED I-70 and HED I-10 systems provide vivid illuminated and non-illuminated signage with strong visual impact.
- The 7" and 10" frames are good choices for large signs making them popular and functional for primary and secondary site identification, wayfinding, parking and directional applications.
- The HED I-70 and HED I-10 systems are adaptable as post and panel, wall mount signs, and pylon signs with internal mounting posts.
- U.L. inspected signs are available on request.

### Flush Faces & Decorative Post Caps

 These systems offer optional flush face construction featuring concealed fasteners and a frameless appearance. Signs with H-bar dividers and changeable panels for multiple listings are also available.



Customer Service

Distributed Network Software, LLC

• Call Center Operations Center • Web Development

← Parking & Parking ← Main Entrance

lamot

Saint Mary's ASBURY RIDGE

Holy Family Hospital and Medical Center

YORKTOWN COMMONS

Caritas

imesara's STYLING SALON

- Identification Signs
- Wayfinding & Parking Signs
- Multiple Listing Signs

West Erie Medical Group

Paul J. Mirone, MD Patrick K. Lenz, MD

REGIONAL

Diagnostic **Imaging Center** 



### HED I-70 7" Illuminated System

- 7" Deep cabinet style frame
- Frame can be angle cut or mitered for custom shapes
- Standard faces or flush faces
- Two .080" or .125" aluminum message panels or polycarbonate (if single faced) up to 48"H x 144"L
- 3" x 7" Rectangular or 4" x 7" radius posts carry the frame flush or with a 1/2" reveal
- Concealed locking squares hold the frame secure in the posts



### **HED I-10** 10" Illuminated System

- 10" Deep cabinet style frame
- Frame can be angle cut, mitered or offer radius tops and corners
- Standard faces or flush faces
- Two .080" or .125" polycarbonate message panels or aluminum up to 48"H x 144"L
- 3" x 7" Rectangular or 4" x 7" radius posts carry the frame flush or with a 1/2" reveal
- Concealed locking squares hold the frame secure in the posts



### Routed Graphics & Copy Three Styles to Choose From

Illuminated signs with aluminum message panels are available with routed copy in three finishes:

Polycarbonate **Backed copy** 

Aluminum Facewith routed letter .125" Polycarbonate Backup

Welded-Mounting Stud

Push Thru copy that is flush with the sign face

Aluminum Face .125" Polycarbonate Letter with .125 Backup-Welded-Mounting Stud

Push Thru Extended copy which extends 1/8" beyond the sign face

Aluminum Face-.250" Polycarbonate Letter with .125 Backup-Welded-Mounting Stud

- HED I-10 illuminated wall mount w/radius corners
- HED I-70 illuminated with radius post
- D HED I-70 illuminated custom wall mount
- E HED I-70 illuminated wall mount with radius post ends and H-bar dividers
- HED I-10 illuminated w/custom sloped top and internal post with skirt
- HED I-10 illuminated wall mount
- HED I-70 illuminated ceiling mount
- HED I-10 illuminated wall mount w/H-bar dividers

- HED I-70 illuminated w/H-bar dividers, radius post mounted in a"v'
- HED I-70 illuminated w/radius post HED I-70 flush face, internal post and skirt
- M HED I-10 flush face w/sloped top
- HED I-10 w/changeable panels N
- 0 HED I-10 illuminated w/radius top
- HED I-10 illuminated wall mount w/radius post custom top/bottom
- HED I-10 non-illuminated w/radius corners and internal post



Two-Part Divider Create **Changeable Panels** 



### Illuminated signs..

# Cabinet Frames

HED I-12, Twin Hinge & Slide Panels

- Our HED I-12 system provides very large scale, illuminated signs with strong visual impact for primary and secondary site identification, directions and information. Non-illuminated signs available.
- The HED I-12 system is adaptable for post and panel, wall mounted, and pylon signs with internal mounting posts and skirted bases. The system also offers optional construction with flush faces, 6" x 12" radius post covers, and full round post covers below the frame.
- U.L. inspected signs are available on request.

### Twin Hinge & Slide Panel Signs

HONOLULU

Aloha and Welcome!

 The HED I-12 illuminated system is specially engineered to convert to the "Twin-Hinge" backlit changeable message system and the "Slide Panel" quick-change illuminated insert panel system.



MEDICAL BUILDING

A DIRECTORY



COME IN AND WORSHIP
PASTOR REV HARRY H JOHNS III

Saturday Service Sunday Services 8:30 pm 8:30 am • 10:30 am

- Large Identification Signs
- "Twin Hinge" Directories
- Large Multiple Listing Signs



GANNON

Office of Admissions

Center for Adult Learning

Office of Graduate Admissions



HED I-12 Twin Hinge w/custom topper

HED I-12 internal post and base skirt

G HED I-12 internal post and base skirt

HED I-12 custom top and horizontal

HED I-12 radius post covers

reveal and base skirt

HED I-12 radius top and H-bar dividers

and 6" wordbar

### HED I-12 12" Illuminated System

- 12" Deep cabinet style frame hinges open for access to lamps
- Frame can be angle cut or mitered
- Standard faces or flush faces
- Two .080" or .125" aluminum message panels or polycarbonate up to 72"H x 240"L
- 3" x 7" Rectangular or 4" x 7" radius posts carry the frame flush or with a 1/2" reveal
- Options for 6" x 12" radius post covers, internal posts & skirted bases

3" x 7" Rectangular Aluminum Post Aluminum Mounting Extrusion

> 125" Aluminum or .125" Polycarbonate Face Panels

.050" Aluminum Raceway

High Output Fluorescent Lamps

HED I-12 Aluminum 12" Cabinet Frame

**HED I-12** Aluminum Retainer

Concealed Locking Square

### **HED I-12 Twin Hinge Directory Signs**

- 12" Deep cabinet style frame with a unique twin hinging system for access to changeable copy and lamps
- Twin Hinge Directory signs feature four panels, key locks and larger signs utilize internal support arms to hold the frame open while making copy changes
- Two exterior .125" polycarbonate panels and two interior .125" white acrylic faces, up to 60"H x 120"L

3" x 7" Rectangular Aluminum Post HED I-12 Aluminum 12" Cabinet Frame and Retainer

> Interior .125" White Acrylic Face Exterior .125" Clear

Polycarbonate Face

High Output Fluorescent Lamps

Twin Hinge Inner Frame

Concealed Locking Square

### **HED I-12 Slide Panel System**

- Flush face 12" deep cabinet style frame with removable insert panels for tenant listings or information that is likely to change in the future
- Changeable Slide Panels of .100" extruded aluminum are flush with the frame retainer and are available in 4", 6", and 8" heights
- Slide panels with routed faces offer options for illuminated copy in three finishes, see page 17

3" x 7" Rectangular Aluminum Post HED I-12 Aluminum 12" Cabinet Frame and Retainer

Frame Track Holds Slide Panels in Frame

High Output

Slide Panel

Slide Panel Retainer with Removeable Edge

Fluorescent Lamps

Concealed Locking Square

Routed copy and Two-Part Dividers available, see page 17.

- HED I-12 slide panels, radius covers
- HED I-12 radius post covers
- HED I-12 radius top w/slide panels
- HED I-12 reveal and custom skirt
- HED I-12 sloped top and H-bar dividers 0
- HED I-12 flush face with radius post
- Q HED I-12 wall mount
- R HED I-12 custom radius top, reveal and skirt
- HED I-12 internal center post mount, radius post covers

### Illuminated & non-illuminated.

## Monolithic Pylon Signs P-20S,

- Our HED P-20 pylon systems create unique, attractive, illuminated and non-illuminated signage with .125" aluminum panels, radius or straight edge extrusions, countersunk fasteners, reveals and skirted bases.
- These systems create a variety of small to large size vertical, horizontal, square and triangular sign structures for primary or secondary identification, wayfinding, parking and directional applications.
- Removable access panels with countersunk fasteners are built in to accommodate the maintenance of internal lighting components.
- U.L. inspected signs are available on request.

### **Internal Supports & Base Plates**

- Standard HED P-20 pylons are constructed with internal supports and mounting posts which are directly embedded in the ground.
- Base plates are available for signs being surface mounted or installed on an existing foundation.





100 North Academy Avenue



leman Cable Inc.



- Identification Pylon Signs
- Wayfinding Pylons
- Multi-sided Parking Pylons



**Public Parking** LOT 6-SE

Kensington Ave. Entrance



Southern Michigan

24 HOUR ATM



### HED P-20 Monolithic Pylon System

- Radius edge extrusions of heavy-gauge aluminum create two-sided, freestanding, vertical and low-profile pylons
- Choice of soft or crisp edge
- Two .125" aluminum message panels up to 60"H x 120"L
- Standard signs are 14" to 18" deep and include a 6" high, recessed, skirted base
- Custom options for horizontal and vertical reveals

Removable.125" Aluminum Top Panel
Internal Supports
P20 Radius Edge Extrusion
Electrical Raceway
High-Output
Fluorescent Lamps
.125" Aluminum Front &
Back Message Panels
.125" Aluminum Side Panels

### HED P-20S Square Pylon System

- 90° heavy-gauge aluminum corner edge extrusions create four-sided, freestanding, equalsided square pylon signs
- Choice of crisp or soft radius vertical edge treatments
- Four .125" aluminum message panels up to 120"H x 60"L
- Standard signs include a 6" high, recessed, skirted base
- Custom options for indented horizontal reveals



### HED P-20T Triangular Pylon System

- 60° heavy-gauge aluminum corner edge extrusions create three-sided, freestanding, equalsided triangular pylon signs
- Crisp vertical edge treatments
- Three .125" aluminum message panels up to 120"H x 60"L
- Standard signs include a 6" high, recessed, skirted base
- Custom options for indented horizontal reveals

Removable.125" Aluminum Top Panel

Internal Supports

P20T 120°
Vertical Corners

High-Output
Mercury Vapor Lamp

.125" Aluminum
Message Panels

Routed copy available, see page 17.

- A HED P-20 illuminated, horizontal reveal
- B HED P-20S square illuminated, skirt
- C HED P-20T non-illuminated, triangular, horizontal reveal
- D HED P-20 custom shape non-illuminated
- E HED P-20 illuminated, custom sloped top
- F HED P-20 illuminated, custom topper and skirt
- G HED P-20 non-illuminated

- H HED P-20T triangle illuminated
- HED P-20S square illuminated with LED traffic controllers
- J HED P-20 illuminated
- K HED P-20S square illuminated, horizontal reveals
- L HED P-20S square
- M HED P-20 illuminated
- N HED P-20 non-illuminated, skirt





# Illuminated & non-illuminated signs... E Custom Fabricated endless possibilities Large Pylons

• With over 60 years experience, our fabrication capabilities allow for individual expression in environment, overcome existing physical barriers and are a durable, lasting investment.





### Sign components

### EXTIUSIONS Post Caps and more

The components that comprise our architectural, post and panel sign systems are engineered and designed to provide durable, aesthetic, cost effective signage. Linear extrusions, hardware and aluminum sign blanks are readily available and allow you to fabricate signs without stocking a large inventory. Extrusions ship same day in off-the-shelf pre-finish white and mill finish.

#### **LINEAR EXTRUSION**

Linear lengths of all post, sign frame and mounting extrusions are available with our off-the-shelf pre-finish white and mill finish. Standard colors, custom colors and extrusions cut to your specified sizes are available.

#### **POST CAPS**

Post caps are available in our 9 standard colors or mill finish. Custom colors are available.

#### **ALUMINUM SIGN BLANKS**

Sign blanks are available in standard sizes from 12" x 12" to 48" x 96". Panels of .050", .080" and .125" aluminum sign blanks are available in mill finish. Panels ship with your choice of Standard Filed Safety Edge, Square Cut 90° Corners or Custom Radius Corners up to 1/2".

DESIGNER POST C	APS	FABRICATED POST CAPS			
POST CAP DESCRIPTION	PART NO.	POST CAP DESCRIPTION	PART NO.		
3" Peaked Post Cap for use with 3" Square Posts	3РС	Jester Post Cap (fabricated aluminum)	FJPC		
3" Ball Post Cap (cast aluminum) for use with 3" Square Posts	3SBC	Dome Post Cap (fabricated aluminum)	FDPC		
4" Peaked Post Cap for use with 4" Square Posts	4PC	Pagoda Post Cap (fabricated aluminum)	FPPC		
4" Acorn Post Cap (cast aluminum) for use with 4" Square Posts	4AC	Sphere Post Cap (fabricated aluminum)	FSPC		
4" Small Ball Post Cap (cast aluminum) for use with 4" Square Posts	4SBC	Gothic Post Cap (fabricated aluminum)	FGPC		
4" Large Ball Post Cap (cast aluminum) for use with 4" Square Posts	4LBC	Lace Jester Post Cap (fabricated aluminum)	FLPC		

POST CAPS	POST EXTRUSION					
POST CAP DESCRIPTION	PART NO.	POST EXTRUSION	PART NO.	LINEAR LENGTH		
			SP-1	7'-6"		
2-1/4 x 3" Standard	SPC	<u></u>	SP-2	10'-0"		
Post Cap		2-1/4" x 3" Stan. Post	SP-3	17'-6"		
			RP-1	7'-6"		
	RPC		RP-2	10'-0"		
3" Radius Post Cap		2" x 3" Radius Post	RP-3	17'-6"		
			CP-1 CP-2	7'-6" 10'-0"		
	CPC	3" x 3" Corner Post	CP-3	17'-6"		
Corner Post Cap			DP-1	7'-6"		
			DP-2	10'-0"		
2-1/4 x 3" Double Slot	DPC	2-1/4" x 3" Dbl. Slot Post	DP-3	17'-6"		
Post Cap			SQ-1	7'-6"		
		<u> </u>	SQ-2	10'-0"		
	SQPC	2-1/4" Square Post	SQ-3	17'-6"		
2-1/4" Square Post Cap			TSQ-1	7'-6"		
		3" Square Post	TSQ-2 TSQ-3	10'-0" 20'-0"		
	TQPC	3 Square Post	TRD-1	7'-6"		
3" Square Post Cap		( 5)	TRD-2	10'-0"		
••	TDPC	3" Round Post	TRD-3	20'-0"		
3" Round Post Cap	IDFC		FSQ-1	7'-6"		
			FSQ-2	10'-0"		
		4" Square Post	FSQ-3	20'-0"		
	FQPC		FRP-1	7'-6"		
4" Square Post Cap		( =	FRP-2	10'-0"		
		2-3/4" x 4" 4" Radius Post	FRP-3	20'-0"		
	FRPC	4 Radius Post	FP-1	7'-6"		
4" Radius Post Cap			FP-2	10'-0"		
		2-1/4" x 4" 4" Rec. Post	FP-3	20'-0"		
	FPC	4" Rec. Post				
4" Rectangular Post Cap			FRD-1	7'-6"		
	FDDG		FRD-2	10'-0"		
	FDPC	4" Round Post	FRD-3	20'-0"		
4" Round Post Cap	600000		LP-1	7'-6"		
			LP-2	10'-0"		
HED I-70	LPC	HED I-70 3" x 7" Rec. Post	LP-3	20'-0"		
Rectangular Post Cap			LRP-1	7'-6"		
		( <u> </u>	LRP-2	10'-0"		
HED I-70	LRPC	HED I-70 4" x 7" Radius Post	LRP-3	20'-0"		
Radius Post Cap	12- RVC	HED I-12 6" x 12" Radius Post Cover	12-RV	17'-6"		
Radius Post Cap  4" Fluted Post Cap	FFPC	4" Fluted Post	FFP	20'-0"		

FRAME EX	FRAME EXTRUSION FRAME EXTRUSION		FRAME EXTRUSION			FRAME EXTRUSION					
FRAME EXTRUSION	PART NO.	LINEAR LENGTH	FRAME EXTRUSION	PART NO.	LINEAR LENGTH	FRAME EXTRUSION	PART NO.	LINEAR LENGTH	FRAME EXTRUSION		LINEAR LENGTH
HED-100/HED-150 Mounting Frame	100-MF	12' -10"	HED I-70 Mounting Frame	70-MF	17'-0"	HED I-12 Slide Retainer	12-SR	20'-6"	DSS-125 Wall Mount Frame	125-WM	16'-6"
HED-100/HED-150 Top/Bottom Frame	100-TB	12'-5"	HED I-70 Top/Bottom Frame	70-TB	20'-0"	HED I-12 4" Slide Panel	12-P4	20'-6"	DSS-75 Wall Mount Frame	75-WM	10'-0"
HED-100/HED-150 H-Bar Divider	100-HB	12'-0"	Non-illuminated HED I-70 Flush Face Mounting Frame	70- FFNI	12'-6"	HED I-12 6" Slide Panel	12-P6	20'-6"	MISCELLA PART DESCRIPTION	PART	LINEAR LENGTH
HED-200 U-Channel	200-UC	12'-0"	HED I-70 Retainer	70-R	17'-0"	HED I-12 8" Slide Panel	12-P8	20'-6"	Corner Key 100, 150, 225, 300,	CK-000 Specify System	Cut to Fit System
HED-225 Mounting Frame	225-MF	12'-5"	HED I-70 Flush Face Clip	70-FF	16'-6"	<u>5</u>	12-ST	20'-6"	DSS-125, DSS-75		
HED-225 Top/Bottom Frame	225-TB	12'-5"	HED I-70/HED I-12 H-Bar Divider	70-HB2	20'-0"	HED I-12 Slide Track	12-S1	20'-6"	Perma-Banner Mounting Bracket	PB-MB	10'-0"
HED-300 Mounting Frame	300-MF	12'-5"	Mounting Frame	10-MF	20'-6"	HED I-12 Slide Retainer Edge	0.000000	20-0		CL-RW-1	14'-0"
HED-300 Top/Bottom Frame	300-TB	12'-5"	Top/Bottom Frame  HED I-10	10-R	20'-6"	Convex Face Pylon Body	CFPB	20'-0"	Channel Raceway Raceway Cover/	CL-RW-2 RW-CM-1	20'-0"
HED-300 Flush Face Mounting Frame	300- FFMF	12'-6"	Retainer  T HED I-12 Mounting Frame	12-MF	20'-6"	Convex Face Pylon Hinge Mount	СЕРНМ	20'-0"	Mounting Platform	RW-CM-2 SQ-S	20'-0"
F 7 HED-300 Flush Face Top/Bottom Frame	300- FFTB	12'-6"	HED I-12 Top/Bottom Frame	12-TB	20'-6"	Convex Face Pylon Hinge	CFPH	20'-0"	2-1/4" x 2-1/4" Post Sleeve	0Q-0	20 0
F = 1 HED-400	400-MF	12'-5"	HED I-12 Retainer Hinge	12-R 12-HG	20'-6" 8'-6"	Mounting Extrusion	ME	12'-0"	2-1/4" x 3" Post Sleeve	SP-S	20'-0"
Mounting Frame  HED-400	400-TB	12'-5"	HED I-12 Retainer	10-R12	20'-6"	P-20 Pylon Extrusion	P20	17'-0"	2" x 3" Post Sleeve	RP-S	20'-0"
Top/Bottom Frame  T HED-400 Flush Face	400- FFMF	12'-6"	Custom Post/Cabinet (Sold in sets of 2)	CP-CAB	20'-0"	P-20T	P20T	12'-0"	4.3" Diameter	DP-4S	20'-0"
Mounting Frame	400-		Slider Bar	SB	20'-0"	Pylon Extrusion P-SR Pylon Extrusion	PSR	12'-0"	Post Sleeve	BP-C1	10'-0"
HED-400 Flush Face Top/Bottom Frame	FFTB	12'-6"	Slider Rail	SR	20'-0"	Pylon Extrusion  I-Bar  Post Connector	ΙΒ	10'-0"	Stan. Baseplate Cover		

### LED illuminated traffic control signs.

# **Eco-Friendly Directional**

Terminal +

ERIE INTERNATIONAL AIRPORT

**OPEN** 

LEVEL 1

LEVEL 2

**LEVEL 3** 

**机**模型

Signs & Signals

### Energy efficient with up to 90% energy cost savings over neon and incandescent signs

- Our TCL LED Traffic Control signs offer quick, easy to read messages that are highly visible even in direct sunlight. Signs have a 70° wide viewing angle.
- We use super-bright LED's encapsulated in a special epoxy that improves performance and life expectancy.
- These low energy consumption signs are engineered for optimum performance using lower milliamps without sacrificing brightness. This yields energy cost savings and a long service life of up to 100,000 hours.
- Compact, light-weight cabinets make these signs ideal for wall, ceiling and canopy mount installations.
- Units are available in a variety of sizes with thousands of standard messages. Custom messages are available.
- Our TCL and PHX signs are UL approved and come with a 5-year unlimited warranty.
- Duranodic bronze finish is standard, custom colors are available.



ON AIR

- Bank Lane Signs
- Parking Facility Signs
- Directional & Safety Signs




### TCL Direct-View LED Typical Sign Features

### **Hinged Back Panel**

Easy Installation; Easy Access

#### **Durable Aluminum Cabinet**

2-1/2" Deep Slim-line Design



#### **LED Message Panel Circuit Board**

Super-bright, Wide-angle LED's for easy readability even in direct sunlight, Many models allow for two messages in one sign

#### **Impact Resistant** Sign Face

.125" Tinted Polycarbonate

**Integrated Solid State Power Supply and Circuit Board** 

Standard Voltage: 120VAC Optional Voltages: 9-36V, 240VAC, 277VAC



### PHX LED Backlit **Typical Sign Features**

#### **Hinged Back Panel**

Easy Installation; and Easy Access

#### **Durable Aluminum Cabinet**

2-1/2" Deep, Sleek Ultra-Slim Frame



#### **LED Illumination Baffle**

Light Absorbing Baffle focuses the illumination evenly across the panel; Energy Saving LED Light Source has a service life of over 100,000 hours and offers a color choice of green or red

### **LED Power Supply**

Universal AC Input 100-240VAC Constant Current Switchmode

### **Backlit Message Panel**

.125" Translucent Black Acrylic with reverse stencil-cut vinyl text or graphics for quick easy-to-read messages

 Quick turn-around...same day shipping on all in-stock signs

Area of


Rescue

Assistance

**HAZARDOUS MATERIAL** 

- Custom LED messages...no problem, call to discuss your special needs
- Stainless steel switch plates, flashers, piezo alarms, brackets for angle mounts and ceiling mounts, recessed frames, and other accessories are available













**Directory & ADA signs** 

A Bold New Look in Interior
Directories & ADA Compliant Signs.

- The HID System creates some of the most functional and visually stunning Directory Signs available.
   From wall mounted directories and directory groupings to free-standing floor directories and campus maps, the HID system provides organized solutions that are easily updated and changed using laser-printed graphic inserts.
- The HID System is also easily customized with clear, non-glare ADA compliant lenses and graphics. All Grade 2 Braille, tactile graphics, pictograms and symbols are created in-house allowing for quick turnaround. Signs can be visually enhanced to compliment interior environments and architectural elements with custom end caps of wood or marbled acrylic, aluminum and acrylic toppers, or the addition of laser-engraved accents.













# Marbled Acrylic Caps & Accents Caps & Accents in Four Standard Finishes













BOB TRNNER

ACCOUNTING OFFICE








Donor Recognition signs.



 Donor Recognition Signs also offer unlimited design possibilities using a wide variety of substrates and hardware. Optional brass and stainless steel accents offer a classic, sophisticated complement to any donor sign. Assist your customers in attracting new donors by providing the best in donor recognition signage through Howard Industries.

### **Regulatory Signage**

 The HID System conveys the everyday important messages of regulatory signage while contributing to the overall design theme of the building's interior surroundings.



- Donor Regcognition Signs
- Laser-engraved Signs
- Regulatory Signs







best of both worlds.



6400 Howard Drive, Fairview, PA 16415
Toll Free 800/458-0591 • Fax 814/838-0011

www.howardindustries.com

